

**OFFICE OF THE PRINCIPAL:
NETAJI SUBHASH CHANDRA BOSE COLLEGE, SAMBALPUR
(GOVT. LEAD COLLEGE)**

Tel: -(0663) 2546403
e-mail id: -nscbcsbp@gmail.com

SHORT QUOTATION CALL NOTICE

Notice No. 351 /NSCBC

dt. 01/03/2025

Sealed quotations are invited from the registered firm/authorized dealers/suppliers having valid GSTN, PAN and tax clearance certificates for supply/installation of laboratory Equipments/ Laboratory Furniture. They are advised to quote their prices including all taxes/ free delivery/installation and demonstration if any. **The department wise sealed quotations must reach the office of the undersigned on or before 08/03/2025 by 4:30 PM. through regd post/speed post.** Firms/dealers should visit the college website www.nscbcollgesbp.org for specifications and other details. The authority reserves the right to reject or cancel any or all quotations without assigning any reason thereof.

N.B. :- The quantity and items to be procured may vary on the basis of the availability of funds.


01/03/25


PRINCIPAL
N.S.C.B. College, Sambalpur

Terms and conditions

1. All quotations should reach the undersigned on or before 08/03/2025 by 4:30 PM in sealed cover superscribed with name of the department for which quotation is being submitted through regd post/speed post only.
2. The submitted quotations will be opened on 08/03/2025 at 5:00 PM in the office of the Principal in presence of the members of Purchase Committee and authorised agents of suppliers if any.
3. Quotations received after due date and time shall not be entertained. The institution is not responsible for any postal delay, holidays or any other reasons resulting in delay of submission/receipt of quotation beyond due date.
4. Quotations shall be submitted separately for individual departments such as Physics, Chemistry, Botany, Zoology, Mathematics, Home Science, Library Science, Psychology, Education & Geography as per the list of items reflected in the college website by the respective department for procurement.
5. A single quotation for different items of different departments shall not be accepted.
6. The price of each item against the commodity must be inclusive of all taxes with free delivery, installation and demonstration (if required).
7. The supplier should enclose xerox copies of all required documents i.e GST certificate, updated PAN, TAX clearance certificate, etc.
8. After finalising the procurement process of purchase, order will be placed to selected bidder for supply of items at approved quoted rate.
9. Goods will be delivered to our college within 07 days from the date of issue of order letter. If the firm fails to supply within stipulated period, purchase order will be cancelled.
10. In the event of any loss, breakage or any shortage, the vendor shall be liable to make good such loss and shortage found at the checking/inspection of the items by the Purchase Committee.
11. Payment towards supply of items to this institution will be made through NEFT only after supply of the items to this institution **by due date** and successful installation, demonstration and verification and certification of the materials by quality experts at this end and also verification of bills by the Purchase Committee and Accounts Section.
12. The items included in the list is tentative and may not be procured while ordering as it is the sole discretion of the authority of the Principal.
13. The supplier should submit the quotations in the following format.



Sl. No	Name of the item	Brand name	Unit cost including all taxes, free installation, etc	Other charges, if any	Total amount	remarks
--------	------------------	------------	---	-----------------------	--------------	---------

14. The college will not be obliged to meet and have discussion with any vendor and or entertain any representation.
15. All disputes shall be subject to jurisdiction of the Sambalpur court.
12. The authority reserves the right to accept or reject any part or all the quotations without assigning any reason thereof.


PRINCIPAL
N.S.C.B. College, Sambalpur
Sambalpur

Principal Sir,

The following furniture may kindly be supplied to the Department of Physics for smooth functioning of UG Laboratory.

SL. No.	Name of Items	Specifications	Remark
1.	Laboratory Table	<p>Size of the Table: 6ft (L) x 4ft(W) x 3ft (H)</p> <p>Type of Frame for installation of bench: Rectangular Pipe of size 2inch x1inch of 1.6MM thick</p> <p>Type of laboratories furniture and allied accessories: Modular</p> <p>Cabinet design: 600 mm x 600 mm x 660 mm (having one door, one drawer and one adjustable/removable shelf). Facilitating future equipment retrofits and full reconfigurations without requiring any major modification to the structure</p> <p>Ground clearance \pm 5 mm: 50 mm</p> <p>Cabinets body (casing) material: GI steel sheets of 1.2mm</p> <p>Furniture finish: powder coated</p> <p>Work tops: MDF board 18 mm thick</p> <p>Electrical points: Provided with 1 number of 3 Module Plate having 5/15Amps combined switch and 2 sets of sockets.</p> <p>1. Cabinet: 1No. cabinet with plan shelf.</p>  <p>2. Cabinet: Cabinet 1No. with partition shelf.</p> 	8 nos.
2.	Steel Almirah	<p>Delivery Condition</p> <p>Pre-assembled</p> <p>Dimensions W x H x D (cm)</p> <p>91.6 x 198 x 48.6</p>	4 nos.
3.	Demonstration Table	<p>Demonstration Table with 2 base cabinet on each side, (1 drawer & 1 shutter) with granite top.</p> <p>Table top: 18 mm thick well-polished Jet Black Granite with half round nosing, acid-resistant, alkali-resistant</p> <p>Material of Construction for Work Bench: 18G thick CRC Sheet.</p> <p>Interior & Exterior will be provided with powder-coated finish.</p> <p>Under Bench Cupboards will be provided with Top Drawer and Bottom two Shutter with one Horizontal Partition. All necessary hardware fitting like Heavy Duty Drawer Channels for smooth rolling to be provided</p> <p>Table Dimension-10ft (L) x 4ft(W) x 3ft (H)</p> <p>Storage Dimension- 600 mm x 600 mm x 660 mm</p>	1 nos.


Principal
21/03/25
Principal
Netaji Subash Chandra Bose College
Sambalpur


HOD
20/03/25
Department of Physics

Principal Sir,

The following furniture may kindly be supplied to the Department of Botany for smooth functioning of UG Laboratory.

Sl. No.	Name of the Items	Specification	Quantity
1.	Laboratory Table	<p>Size of the Table: 8ft (L) x 4ft(W) x 3ft (H)</p> <p>Type of Frame for installation of bench: Rectangular Pipe of size 2inch x1inch of 1.2MM thick</p> <p>Type of laboratories furniture and allied accessories: Modular</p> <p>Cabinet design: 500 mm x 500 mm x 660 mm (having one door, one drawer and one adjustable/removable shelf). Facilitating future equipment retrofits and full reconfigurations without requiring any major modification to the structure (Both Side of the Table)</p> <p>Ground clearance \pm 5 mm: 25 mm</p> <p>Cabinets body (casing) material: GI steel sheets of 1.2mm</p> <p>Furniture finish: powder coated</p> <p>Work tops: Acid resistant granite 18 mm thick (Jet Black Color)</p>	8 nos
2.	Side Table	<p>Size of the Table: 11ft (L) x 2.5ft(W) x 2.5ft (H)</p> <p>Type of Frame for installation of bench: Rectangular Pipe of size 2inch x1inch of 1.2MM thick</p> <p>Type of laboratories furniture and allied accessories: Modular</p> <p>Cabinet design: 500 mm x 500 mm x 660 mm (having one door, one drawer and one adjustable/removable shelf). Facilitating future equipment retrofits and full reconfigurations without requiring any major modification to the structure</p> <p>Ground clearance \pm 5 mm: 25 mm</p> <p>Cabinets body (casing) material: GI steel sheets of 1.2mm</p> <p>Furniture finish: powder coated</p> <p>Work tops: Acid resistant granite 18 mm thick (Jet Black Color)</p> <p>Tap : 3 way Laboratory tap</p> <p>Sink Materials: 1 nos of SS Sink</p>	2 nos.
3.	Steel Almirah (Branded)	<p>Size of the Glass Almirah: 6ft (H) x 3ft(W) x 1.5ft (D)</p> <p>Type of Glass Almirah: Free Standing</p> <p>Number of Shelves : 4 Nos</p> <p>Design of the Glass Door: Vertically Sliding Openable Glass door for each shelves</p> <p>Materials Body: 1.2mm thick CRCC GI Sheet</p> <p>Ground clearance \pm 5 mm: 25 mm</p> <p>Shelves material: GI steel sheets of 1 mm</p> <p>Furniture finish: powder coated</p>	4 nos.
4.	Demonstration Table	<p>Demonstration Table with 2 base cabinet on each side, (1 drawer & 1 shutter) with granite top.</p> <p>Table top: 18 mm thick well-polished Jet Black Granite with half round nosing, acid-resistant, alkali-resistant</p> <p>Material of Construction for Work Bench: 18G thick CRC Sheet. Interior & Exterior will be provided with powder-coated finish. Under Bench Cupboards will be provided with Top Drawer and Bottom two Shutter with one Horizontal Partition. All necessary hardware fitting like Heavy Duty Drawer Channels for smooth rolling to be provided</p> <p>Table Dimension-10ft (L) x 4ft(W) x 3ft (H)</p> <p>Storage Dimension- 600 mm x 600 mm x 660 mm</p>	1 nos.


Signature of the HoD


Principal
Netaji Subash Chandra Bose College
Sambalpur

Principal Sir,

The following furniture may kindly be supplied to the Department of Zoology for smooth functioning of UG Laboratory.

Sl. No.	Name of the Items	Specification	Quantity
1.	Laboratory Table	<p>Size of the Table: 8ft (L) x 4ft(W) x 3ft (H)</p> <p>Type of Frame for installation of bench: Rectangular Pipe of size 2inch x 1inch of 1.2MM thick</p> <p>Type of laboratories furniture and allied accessories: Modular</p> <p>Cabinet design: 500 mm x 500 mm x 660 mm (having one door, one drawer and one adjustable/removable shelf). Facilitating future equipment retrofits and full reconfigurations without requiring any major modification to the structure (Both Side of the Table)</p> <p>Ground clearance \pm 5 mm: 25 mm</p> <p>Cabinets body (casing) material: GI steel sheets of 1.2mm</p> <p>Furniture finish: powder coated</p> <p>Work tops: Acid resistant granite 18 mm thick (Jet Black Color)</p>	8 nos
2.	Side Table	<p>Size of the Table: 11ft (L) x 2.5ft(W) x 2.5ft (H)</p> <p>Type of Frame for installation of bench: Rectangular Pipe of size 2inch x 1inch of 1.2MM thick</p> <p>Type of laboratories furniture and allied accessories: Modular</p> <p>Cabinet design: 500 mm x 500 mm x 660 mm (having one door, one drawer and one adjustable/removable shelf). Facilitating future equipment retrofits and full reconfigurations without requiring any major modification to the structure</p> <p>Ground clearance \pm 5 mm: 25 mm</p> <p>Cabinets body (casing) material: GI steel sheets of 1.2mm</p> <p>Furniture finish: powder coated</p> <p>Work tops: Acid resistant granite 18 mm thick (Jet Black Color)</p> <p>Tap : 3 way Laboratory tap</p> <p>Sink Materials: 1 nos of SS Sink</p>	2 nos.
3.	Steel Almirah (Branded)	<p>Size of the Glass Almirah: 6ft (H) x 3ft(W) x 1.5ft (D)</p> <p>Type of Glass Almirah: Free Standing</p> <p>Number of Shelves : 4 Nos</p> <p>Design of the Glass Door: Vertically Sliding Openable Glass door for each shelves</p> <p>Materials Body: 1.2mm thick CRCC GI Sheet</p> <p>Ground clearance \pm 5 mm: 25 mm</p> <p>Shelves material: GI steel sheets of 1 mm</p> <p>Furniture finish: powder coated</p>	4 nos.
4.	Demonstration Table	<p>Demonstration Table with 2 base cabinet on each side, (1 drawer & 1 shutter) with granite top.</p> <p>Table top: 18 mm thick well-polished Jet Black Granite with half round nosing, acid-resistant, alkali-resistant</p> <p>Material of Construction for Work Bench: 18G thick CRC Sheet. Interior & Exterior will be provided with powder-coated finish. Under Bench Cupboards will be provided with Top Drawer and Bottom two Shutter with one Horizontal Partition. All necessary hardware fitting like Heavy Duty Drawer Channels for smooth rolling to be provided</p> <p>Table Dimension-10ft (L) x 4ft(W) x 3ft (H)</p> <p>Storage Dimension- 600 mm x 600 mm x 660 mm</p>	1 nos.

[Signature]
21/07/25

Principal

Netaji Subash Chandra Bose College
Sambalpur

[Signature]
Signature of the HoD

Principal Sir,

The following furniture may kindly be supplied to the Department of Chemistry for smooth functioning of UG Laboratory.

Sl. No.	Name of the Items	Specification	Quantity
1.	Laboratory Table	<p>Size of the Table: 8ft (L) x 4ft(W) x 3ft (H)</p> <p>Type of Frame for installation of bench: Rectangular Pipe of size 2inch x 1inch of 1.6MM thick</p> <p>Type of laboratories furniture and allied accessories: Modular</p> <p>Cabinet design: 600 mm x 600 mm x 660 mm (having one door, one drawer and one adjustable/removable shelf). Facilitating future equipment retrofits and full reconfigurations without requiring any major modification to the structure</p> <p>Ground clearance \pm 5 mm: 50 mm</p> <p>Storage unit: One set Dummy storage unit with two doors at water sink side.</p> <p>Cabinets body (casing) material: GI steel sheets of 1.2mm</p> <p>Furniture finish: powder coated</p> <p>Work tops: Acid resistant granite 18 mm thick (Jet Black Color)</p> <p>Sink Materials: 1 nos of SS Sink</p> <p>Tap : 3 way Laboratory tap</p>	8 nos
2.	Side Table	<p>Size of the Table: 11ft (L) x 2.5ft(W) x 2.5ft (H)</p> <p>Type of Frame for installation of bench: Rectangular Pipe of size 2inch x 1inch of 1.2MM thick</p> <p>Type of laboratories furniture and allied accessories: Modular</p> <p>Cabinet design: 500 mm x 500 mm x 660 mm (having one door, one drawer and one adjustable/removable shelf). Facilitating future equipment retrofits and full reconfigurations without requiring any major modification to the structure</p> <p>Ground clearance \pm 5 mm: 25 mm</p> <p>Cabinets body (casing) material: GI steel sheets of 1.2mm</p> <p>Furniture finish: powder coated</p> <p>Work tops: Acid resistant granite 18 mm thick (Jet Black Color)</p> <p>Tap : 3 way Laboratory tap</p> <p>Sink Materials: 1 nos of SS Sink</p>	2 nos.
3.	Steel Almirah (Branded)	<p>Size of the Glass Almirah: 6ft (H) x 3ft(W) x 1.5ft (D)</p> <p>Type of Glass Almirah: Free Standing</p> <p>Number of Shelves : 4 Nos</p> <p>Design of the Glass Door: Vertically Sliding Openable Glass door for each shelves</p> <p>Materials Body: 1.2mm thick CRCC GI Sheet</p> <p>Ground clearance \pm 5 mm: 25 mm</p> <p>Shelves material: GI steel sheets of 1 mm</p> <p>Furniture finish: powder coated</p>	4 nos.
4.	Demonstration Table	<p>Demonstration Table with 2 base cabinet on each side, (1 drawer & 1 shutter) with granite top.</p> <p>Table top: 18 mm thick well-polished Jet Black Granite with half round nosing, acid-resistant, alkali-resistant</p> <p>Material of Construction for Work Bench: 18G thick CRC Sheet. Interior & Exterior will be provided with powder-coated finish. Under Bench Cupboards will be provided with Top Drawer and Bottom two Shutter with one Horizontal Partition. All necessary hardware fitting like Heavy Duty Drawer Channels for smooth rolling to be provided</p> <p>Table Dimension-10ft (L) x 4ft(W) x 3ft (H)</p> <p>Storage Dimension- 600 mm x 600 mm x 660 mm</p> <p>Sink – 1 no.</p>	1 nos.


Pls
01/03/25


[Signature]
01/03/25
Signature of the HoD

Principal Sir,

The following furniture may kindly be supplied to the Department of Home Science for smooth functioning of UG Laboratory.

Sl. No.	Name of the Items	Specification	Quantity
1.	Side Table	<p>Size of the Table: 11ft (L) x 2.5ft(W) x 3ft (H)</p> <p>Type of Frame for installation of bench: Rectangular Pipe of size 2inch x 1inch of 1.2MM thick</p> <p>Type of laboratories furniture and allied accessories: Modular</p> <p>Cabinet design: 500 mm x 500 mm x 660 mm (having one door, one drawer and one adjustable/removable shelf). Facilitating future equipment retrofits and full reconfigurations without requiring any major modification to the structure</p> <p>Ground clearance \pm 5 mm: 25 mm</p> <p>Cabinets body (casing) material: GI steel sheets of 1.2mm</p> <p>Furniture finish: powder coated</p> <p>Work tops: Acid resistant granite 18 mm thick (Jet Black Color)</p> <p>Tap : 3 way Laboratory tap</p> <p>Sink Materials: 1 nos of SS Sink</p>	1 no.

 01/03/25
Signature of the HoD

 01/03/25

Principal
Netaji Subash Chandra Bose College
Sambalpur